



11a(5.500~5.825Ghz) 10dBi Omni-Directional Antenna



OAN-4101

H/W Version: 1

LevelOne's OAN-4101 10dBi omni-directional outdoor antenna is an ideal solution to increase wireless signal coverage and improve signal strength/quality for existing 802.11a wireless devices in the range between 5.5Ghz to 5.825Ghz frequency bands.

This antenna is especially designed for outdoor applications such as the WAB-7400 outdoor access point. The waterproof surface keeps the antenna workable in any rogue environment. In order to increase installation flexibility there is no power-source required.

The antenna can be easily fastened on a wall or installed on a pole. OAN-4101 has been tested for interoperating with LevelOne's wireless access point, WAB-2000A mesh outdoor AP/Bridge. This unit can also work with other wireless devices, which comply with IEEE802.11a standard and are equipped with an N male connector.



N-jack female Connector

** Antenna cable and arrestor are not included

Key Features

- For IEEE 802.11a applications at the range between 5.5GHz to 5.825GHz frequency band
- Easy to install
- Omni-directional operation provides extended point to multi-point coverage

Related Products



WAB-7000
11a/b/g Outdoor PoE Wireless



WAB-7400
11a/b/g/g Outdoor Mesh PoE Wireless AP

Technical Specification

Electrical Specification

Frequency Band

5.GHz-5.825GHz

Gain

10dBi

VSWR

2.0:1 Max

Polarization

Linear, Vertical

HPBW/V

7°

HPBW/H

360°

Downtilt

2°

Power Handling

5W

Impedance

50 Ohms

Connector

N female

Environmental & Mechanical Characteristics

Survival wind speed

216m/hr

Temperature

-40°C - + 80°C

Humidity

95% @ 55° C

Radome Material

Fiber Glass, UV resistant



Weight

265g


Dimension

80mm x 780mm x511mm

Radiation Pattern



Product Diagram



OAN-4101 works with WAB-7400 for Mesh Network or Point-to-Multipoint bridging applications

Order Information

OAN-4101: 11a(5.500~5.825Ghz) 10dBi Omni-Directional Antenna

Package Content

OAN-4101, Wall & Pole Mounting

Optional Accessories



ANC-4230
400 Series N plug to N plug Cable 3m



ANC-2210
200 Series N plug to N plug Cable 1m



ANC-2310
200 Series N plug to RPSMA plug Cable 1m



ANA-3100
3GHz Outdoor Arrester



ANA-6100
6GHz Outdoor Arrester



ANC-2330
200 Series N plug to RPSMA plug Cable 3m

All mentioned brand names are registered trademarks and property of their owners. Technical specifications are subject to change without notice.

© Copyright Digital Data Communications GmbH. All Rights Reserved.